Product Information



A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.

Lubricants - Engine Oil - Passenger Car Motor Oils

Version: 038/10

SynPower™ FE Motor Oil SAE 5W-30

Premium fully synthetic motor oil, formulated with the highest quality synthetic base oils, advanced additive technology. Fights the three major causes of engine stress: heat, deposits and wear.

SynPower FE SAE 5W-30 is added to the Ford approved engine oil list.

Approvals/Performance levels

SAE 5W-30
API: SL/CF
ACEA A5/B5-10
ACEA A1/B1-10
Renault RN0700
Meets requirements of Ford WSS-
M2C913-D
Ford M2C913-C approved
Suitable for use where
Ford M2C913-A,B,are specified.
Recommended for use where
Fiat 9.55535.G1 is specified.

Applications

Provides the ultimate performance in meeting global standards for passenger cars and light trucks and vans including gasoline, diesel, and LPG engines where a 5W-30 is recommended.

Especially recommended for Ford engines demanding a Ford WSS-M2C913-D specification and is backwards compatible with M2C913-C and M2C913-A/B motor oils.

For passenger cars and vans that need a motor oil with the worldwide spec, ACEA A5/B5.

For passenger cars and vans that need a motor oil with the Fuel Economy spec, ACEA A1/B1.

For passenger cars and vans running on mixtures of diesel fuel and bio fuel.(MB Bio Oxidation Test)

Ford diesel engines (Except Ford Ka TDCi 2009 > and Galaxy 1.9 TDi 2000-2006).

Features and Benefits

Wear protection

SynPower FE is the only leading full synthetic oil formulated with more durable anti-wear additives that stay in the oil longer.

Deposit control

Extra detergents and dispersants help prevent harmful build- up of sludge, varnish and other deposits.

Bio-diesel

Increased robustness for Bio-diesel.

Fuel efficiency

Increased fuel economy properties, up to 3% in industrial engine test.

All temperature protection

Starts, flows when the engine is cool, maintains its protection barrier as engine temperatures rise.

Environment

Improved Fuel Economy and reduced CO2.

Product Information



A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.

Health and Safety

This product is not likely to present any significant health or safety hazards when used correctly in the right application. A Material and Safety Data Sheet (MSDS) is available on request via your local sales office or via the internet @ http://msds.ashland.com

Protect the Environment

Take used oil to an authorized collection point. Do not discharge into drains, soil or water.

Typical Properties

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline™ specifications, variations in these characteristics may occur.

SynPower FE motor oil	
SAE Viscosity Grade	5W-30
Viscosity, mm ² /s @ 100 °C.	9.8
ASTM D-445	
Viscosity, mm ² /s @ 40 °C.	54
ASTM D-445	
Viscosity Index	169
ASTM D-2270	
Viscosity, mPa.s –30°C.	<6600
ASTM D-5293	
TBN, mg KOH/g	10.1
ASTM D-2896	
Pour Point, ⁰C	-45
ASTM D-5950	
Specific Gravity @ 15.6°C.	0.852
ASTM D-4052	
Flash Point, COC, °C.	222
ASTM D-92	

This information only applies to products manufactured in the following location(s): Europe

People Who Know Use Valvoline™

Serving more than 100 countries around the globe, Valvoline is a leading marketer, distributor and producer of quality branded automotive and industrial products and services. Products include automotive lubricants including MaxLife™, the first motor oil specifically formulated for higher-mileage vehicles; transmission fluids; gear oils; hydraulic lubricants; automotive chemicals; specialty products; greases, and cooling system products.

For more information on Valvoline products, programs and services please visit www.valvolineeurope.com

Author:

AdG

Replaces - 038/09

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ashland Inc. and its subsidiaries assume legal responsibility.

^{*}Trademark owned by a third party ™ Trademark of Ashland or its subsidiaries, registered in various countries © 2013, Ashland